


# ATHER

Thickness 0.65mm Roll Dimensions 5 Feet \*30METERS



Enhanced Thickness

மேம்படுத்தப்பட்ட  
தடிமன்

சுதாரిత ದಪ್ಪ

മെച്ചപ്പെടുത്തിയ  
കനം



Easy Installations

எளிய  
நிறுவல்கள்

ಸುಲಭವಾದ ಸ್ಥಾಪನೆ

സുലഭ  
ഇൻസ്റ്റലേഷൻ




Semi-Commercial Use

அரை வணிக  
பயன்பாடு

ಅರ್ಧ ವಾಣಿಜ್ಯ ಬಳಕೆ

സെമി-കോമർഷ്യൽ  
ഉപയോഗം



Balanced Comfort

சமநிலை  
வசதி

ಸಮತೋಲನ ಆರಾಮ

ബാലൻസ്  
സുഖം

real color:



representative view:




real color:



representative view:




real color:



representative view:



real color:



representative view:



real color:



representative view:



real color:



representative view:



real color:



representative view:



real color:



representative view:



real color:



representative view:



real color:



representative view:



real color:



representative view:



real color:



representative view:




image is just for representative purposes, color may vary.


real color:



representative view:



real color:



representative view:




image is just for representative purposes, color may vary.


real color:



representative view:




real color:



representative view:



real color:



representative view:




real color:



representative view:



real color:



representative view:



real color:




representative view:




real color:



representative view:



real color:



representative view:



real color:



representative view:



F

real color:



representative view:



image is just for representative purposes, color may vary.

real color:



representative view:



Ather strikes the perfect balance between value and functionality. Featuring a compact 0.65mm profile, it offers improved stability over standard budget films while remaining highly cost-effective. Ideal for everyday residential rooms and moderate-use areas, Ather provides a sleek, durable surface that upgrades the look of any space without stretching the budget

### PRODUCT SPECIFICATIONS

Characteristics	Roll Length	Roll Width	Sqft. Per Roll
ATHER	30 METERS	60 INCHES	484.38

Ensure a flawless flooring experience with Floorex India. Prioritize a 24-hour relaxation period for our PVC sheet in a room between 18°C and 27°C. Our vinyl rolls adapt to any surface, but ensure the sub-floor is even, hard, and dry. For installation, a clean, dry base is essential - use recommended adhesives like Fevicol SR 998 or SR 505.

*F*

FLOOREX

I N D I A